

NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**MS. TARA DANIELS**  
**ADIRONDACK ENVIRONMENTAL SERVICES INC**  
**314 NORTH PEARL STREET**  
**ALBANY, NY 12207**

**NY Lab Id No: 10709**

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES POTABLE WATER  
All approved analytes are listed below:*

**Bacteriology**

Coliform, Total / E. coli (Qualitative)	SM 20, 21-23 9223B (-04) (Colilert)
E. coli (Enumeration)	SM 20, 21-23 9223B (-04) (Colilert)
Heterotrophic Plate Count	SimPlate

**Disinfection By-products**

Bromochloroacetic acid	EPA 552.2
Dibromoacetic acid	EPA 552.2
Dichloroacetic acid	EPA 552.2
Monobromoacetic acid	EPA 552.2
Monochloroacetic acid	EPA 552.2
Trichloroacetic acid	EPA 552.2

**Fuel Additives**

Methyl tert-butyl ether	EPA 524.2
-------------------------	-----------

**Metals I**

Arsenic, Total	EPA 200.8 Rev. 5.4
Barium, Total	EPA 200.7 Rev. 4.4
	EPA 200.8 Rev. 5.4
Cadmium, Total	EPA 200.7 Rev. 4.4
	EPA 200.8 Rev. 5.4
Chromium, Total	EPA 200.7 Rev. 4.4
	EPA 200.8 Rev. 5.4
Copper, Total	EPA 200.7 Rev. 4.4
	EPA 200.8 Rev. 5.4
Iron, Total	EPA 200.7 Rev. 4.4
Lead, Total	EPA 200.8 Rev. 5.4
Manganese, Total	EPA 200.7 Rev. 4.4
	EPA 200.8 Rev. 5.4



**Serial No.: 68532**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**MS. TARA DANIELS**  
**ADIRONDACK ENVIRONMENTAL SERVICES INC**  
**314 NORTH PEARL STREET**  
**ALBANY, NY 12207**

**NY Lab Id No: 10709**

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES POTABLE WATER  
All approved analytes are listed below:*

**Metals I**

Mercury, Total	EPA 245.1 Rev. 3.0
Selenium, Total	EPA 200.8 Rev. 5.4
Silver, Total	EPA 200.7 Rev. 4.4
	EPA 200.8 Rev. 5.4
Zinc, Total	EPA 200.7 Rev. 4.4
	EPA 200.8 Rev. 5.4

**Metals II**

Aluminum, Total	EPA 200.7 Rev. 4.4
	EPA 200.8 Rev. 5.4
Antimony, Total	EPA 200.8 Rev. 5.4
Beryllium, Total	EPA 200.7 Rev. 4.4
	EPA 200.8 Rev. 5.4
Nickel, Total	EPA 200.7 Rev. 4.4
	EPA 200.8 Rev. 5.4
Thallium, Total	EPA 200.8 Rev. 5.4
Vanadium, Total	EPA 200.8 Rev. 5.4

**Metals III**

Calcium, Total	EPA 200.7 Rev. 4.4
Magnesium, Total	EPA 200.7 Rev. 4.4
Potassium, Total	EPA 200.7 Rev. 4.4
Sodium, Total	EPA 200.7 Rev. 4.4

**Microextractables**

1,2-Dibromo-3-chloropropane, Low Le	EPA 504.1
1,2-Dibromoethane, Low Level	EPA 504.1

**Miscellaneous**

Asbestos	EPA 100.1
----------	-----------

**Serial No.: 68532**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**MS. TARA DANIELS**  
**ADIRONDACK ENVIRONMENTAL SERVICES INC**  
**314 NORTH PEARL STREET**  
**ALBANY, NY 12207**

**NY Lab Id No: 10709**

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES POTABLE WATER  
All approved analytes are listed below:*

**Miscellaneous**

Odor	SM 21-23 2150 B (-97)
Organic Carbon, Dissolved	SM 21-23 5310C (-00)
Organic Carbon, Total	SM 21-23 5310C (-00)
Turbidity	EPA 180.1 Rev. 2.0
UV 254	SM 21-23 5910B (-00,-11)

**Non-Metals**

Alkalinity	SM 21-23 2320B (-97)
Calcium Hardness	EPA 200.7 Rev. 4.4
Chloride	EPA 300.0 Rev. 2.1
Color	SM 21-23 2120B (-01)
Corrosivity	SM 18-22 2330
Cyanide	EPA 335.4 Rev. 1.0
Fluoride, Total	EPA 300.0 Rev. 2.1
Nitrate (as N)	EPA 300.0 Rev. 2.1
	SM 21-23 4500-NO3 F (-00)
Nitrite (as N)	SM 21-23 4500-NO2 B (-00)
Orthophosphate (as P)	EPA 300.0 Rev. 2.1
Solids, Total Dissolved	SM 21-23 2540C (-97)
Specific Conductance	SM 21-23 2510B (-97)
Sulfate (as SO4)	EPA 300.0 Rev. 2.1

**Organohalide Pesticides**

Aldrin	EPA 508
Chlordane Total	EPA 508
Dieldrin	EPA 508
Endrin	EPA 508
Heptachlor	EPA 508

**Serial No.: 68532**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**MS. TARA DANIELS**  
**ADIRONDACK ENVIRONMENTAL SERVICES INC**  
**314 NORTH PEARL STREET**  
**ALBANY, NY 12207**

**NY Lab Id No: 10709**

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES POTABLE WATER  
All approved analytes are listed below:*

**Organohalide Pesticides**

Heptachlor epoxide	EPA 508
Lindane	EPA 508
Methoxychlor	EPA 508
Propachlor	EPA 508
Toxaphene	EPA 508

**Polychlorinated Biphenyls**

PCB Screen	EPA 508
------------	---------

**Trihalomethanes**

Bromodichloromethane	EPA 524.2
Bromoform	EPA 524.2
Chloroform	EPA 524.2
Dibromochloromethane	EPA 524.2

**Volatile Aromatics**

1,2,3-Trichlorobenzene	EPA 524.2
1,2,4-Trichlorobenzene	EPA 524.2
1,2,4-Trimethylbenzene	EPA 524.2
1,2-Dichlorobenzene	EPA 524.2
1,3,5-Trimethylbenzene	EPA 524.2
1,3-Dichlorobenzene	EPA 524.2
1,4-Dichlorobenzene	EPA 524.2
2-Chlorotoluene	EPA 524.2
4-Chlorotoluene	EPA 524.2
Benzene	EPA 524.2
Bromobenzene	EPA 524.2
Chlorobenzene	EPA 524.2
Ethyl benzene	EPA 524.2



**Serial No.: 68532**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**MS. TARA DANIELS**  
**ADIRONDACK ENVIRONMENTAL SERVICES INC**  
**314 NORTH PEARL STREET**  
**ALBANY, NY 12207**

**NY Lab Id No: 10709**

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES POTABLE WATER  
All approved analytes are listed below:*

**Volatile Aromatics**

Hexachlorobutadiene	EPA 524.2
Isopropylbenzene	EPA 524.2
n-Butylbenzene	EPA 524.2
n-Propylbenzene	EPA 524.2
p-Isopropyltoluene (P-Cymene)	EPA 524.2
sec-Butylbenzene	EPA 524.2
Styrene	EPA 524.2
tert-Butylbenzene	EPA 524.2
Toluene	EPA 524.2
Total Xylenes	EPA 524.2

**Volatile Halocarbons**

1,1,1,2-Tetrachloroethane	EPA 524.2
1,1,1-Trichloroethane	EPA 524.2
1,1,2,2-Tetrachloroethane	EPA 524.2
1,1,2-Trichloroethane	EPA 524.2
1,1-Dichloroethane	EPA 524.2
1,1-Dichloroethene	EPA 524.2
1,1-Dichloropropene	EPA 524.2
1,2,3-Trichloropropane	EPA 524.2
1,2-Dichloroethane	EPA 524.2
1,2-Dichloropropane	EPA 524.2
1,3-Dichloropropane	EPA 524.2
2,2-Dichloropropane	EPA 524.2
Bromochloromethane	EPA 524.2
Bromomethane	EPA 524.2
Carbon tetrachloride	EPA 524.2
Chloroethane	EPA 524.2



**Serial No.: 68532**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**MS. TARA DANIELS**  
**ADIRONDACK ENVIRONMENTAL SERVICES INC**  
**314 NORTH PEARL STREET**  
**ALBANY, NY 12207**

**NY Lab Id No: 10709**

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES POTABLE WATER  
All approved analytes are listed below:*

**Volatile Halocarbons**

Chloromethane	EPA 524.2
cis-1,2-Dichloroethene	EPA 524.2
cis-1,3-Dichloropropene	EPA 524.2
Dibromomethane	EPA 524.2
Dichlorodifluoromethane	EPA 524.2
Methylene chloride	EPA 524.2
Tetrachloroethene	EPA 524.2
trans-1,2-Dichloroethene	EPA 524.2
trans-1,3-Dichloropropene	EPA 524.2
Trichloroethene	EPA 524.2
Trichlorofluoromethane	EPA 524.2
Vinyl chloride	EPA 524.2



**Serial No.: 68532**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024  
Revised August 15, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

*MS. TARA DANIELS  
ADIRONDACK ENVIRONMENTAL SERVICES INC  
314 NORTH PEARL STREET  
ALBANY, NY 12207*

*NY Lab Id No: 10709*

*is hereby APPROVED as an Environmental Laboratory for the category  
ENVIRONMENTAL ANALYSES POTABLE WATER  
All approved subcategories and/or analytes are listed below:*

**Bacteriology**

Legionella ISO 11731:2017(E)

**Miscellaneous**

Total Glycol NYSDOH APC 44



**Serial No.: 69523**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).

NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**MS. TARA DANIELS**  
**ADIRONDACK ENVIRONMENTAL SERVICES INC**  
**314 NORTH PEARL STREET**  
**ALBANY, NY 12207**

*NY Lab Id No: 10709*

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved analytes are listed below:*

**Acrylates**

Acrolein (Propenal)	EPA 8260C
	EPA 624.1
Acrylonitrile	EPA 8260C
	EPA 624.1
Ethyl methacrylate	EPA 8260C
Methyl acrylonitrile	EPA 8260C
Methyl methacrylate	EPA 8260C

**Amines**

1,2-Diphenylhydrazine	EPA 8270D
1,4-Phenylenediamine	EPA 8270D
1-Naphthylamine	EPA 8270D
2-Naphthylamine	EPA 8270D
2-Nitroaniline	EPA 8270D
3-Nitroaniline	EPA 8270D
4,4'-Methylenebis(2-chloroaniline)	EPA 8270D
4-Chloroaniline	EPA 8270D
4-Nitroaniline	EPA 8270D
5-Nitro-o-toluidine	EPA 8270D
a,a-Dimethylphenethylamine	EPA 8270D
Aniline	EPA 8270D
Carbazole	EPA 8270D
Diphenylamine	EPA 8270D
Methapyrilene	EPA 8270D
Pronamide	EPA 8270D
Pyridine	EPA 8270D



**Serial No.: 68534**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).





NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**MS. TARA DANIELS**  
**ADIRONDACK ENVIRONMENTAL SERVICES INC**  
**314 NORTH PEARL STREET**  
**ALBANY, NY 12207**

**NY Lab Id No: 10709**

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved analytes are listed below:*

**Bacteriology**

Coliform, Fecal	Colilert-18
E. coli (Enumeration)	Colilert-18

**Benzidines**

3,3'-Dichlorobenzidine	EPA 625.1	EPA 8270D
3,3'-Dimethylbenzidine	EPA 8270D	
Benzidine	EPA 625.1	EPA 8270D

**Carbamate Pesticides**

Carbofuran	EPA 632
------------	---------

**Chlorinated Hydrocarbon Pesticides**

4,4'-DDD	EPA 8081B	EPA 608.3
4,4'-DDE	EPA 8081B	EPA 608.3
4,4'-DDT	EPA 8081B	EPA 608.3
Aldrin	EPA 8081B	EPA 608.3
alpha-BHC	EPA 8081B	EPA 608.3
alpha-Chlordane	EPA 8081B	
beta-BHC	EPA 8081B	EPA 608.3
Captan	EPA 8270D	
Chlordane Total	EPA 8081B	



**Serial No.: 68534**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**MS. TARA DANIELS**  
**ADIRONDACK ENVIRONMENTAL SERVICES INC**  
**314 NORTH PEARL STREET**  
**ALBANY, NY 12207**

*NY Lab Id No: 10709*

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved analytes are listed below:*

**Chlorinated Hydrocarbon Pesticides**

Chlordane Total	EPA 608.3
Chlorobenzilate	EPA 8270D
delta-BHC	EPA 8081B
	EPA 608.3
Diallate	EPA 8270D
Dieldrin	EPA 8081B
	EPA 608.3
Endosulfan I	EPA 8081B
	EPA 608.3
Endosulfan II	EPA 8081B
	EPA 608.3
Endosulfan sulfate	EPA 8081B
	EPA 608.3
Endrin	EPA 8081B
	EPA 608.3
Endrin aldehyde	EPA 8081B
	EPA 608.3
Endrin Ketone	EPA 8081B
gamma-Chlordane	EPA 8081B
Heptachlor	EPA 8081B
	EPA 608.3
Heptachlor epoxide	EPA 8081B
	EPA 608.3
Isodrin	EPA 8270D
Kepone	EPA 8270D
Lindane	EPA 8081B
	EPA 608.3



**Serial No.: 68534**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**MS. TARA DANIELS**  
**ADIRONDACK ENVIRONMENTAL SERVICES INC**  
**314 NORTH PEARL STREET**  
**ALBANY, NY 12207**

**NY Lab Id No: 10709**

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved analytes are listed below:*

**Chlorinated Hydrocarbon Pesticides**

Methoxychlor	EPA 8081B EPA 608.3
Mirex	EPA 8081B
Toxaphene	EPA 8081B EPA 608.3

**Chlorinated Hydrocarbons**

1,2,3-Trichlorobenzene	EPA 8260C
1,2,4,5-Tetrachlorobenzene	EPA 8270D
1,2,4-Trichlorobenzene	EPA 625.1 EPA 612 EPA 8270D
1-Chloronaphthalene	EPA 8270D
2-Chloronaphthalene	EPA 625.1 EPA 8270D
Hexachlorobenzene	EPA 625.1 EPA 8270D
Hexachlorobutadiene	EPA 625.1 EPA 8270D
Hexachlorocyclopentadiene	EPA 625.1 EPA 8270D
Hexachloroethane	EPA 625.1 EPA 8270D
Hexachloropropene	EPA 8270D
Pentachlorobenzene	EPA 8270D

**Chlorophenoxy Acid Pesticides**

2,4,5-T	EPA 8321B
---------	-----------

**Serial No.: 68534**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**MS. TARA DANIELS**  
**ADIRONDACK ENVIRONMENTAL SERVICES INC**  
**314 NORTH PEARL STREET**  
**ALBANY, NY 12207**

**NY Lab Id No: 10709**

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved analytes are listed below:*

**Chlorophenoxy Acid Pesticides**

2,4,5-TP (Silvex)	EPA 8321B
2,4-D	EPA 8321B

**Demand**

Biochemical Oxygen Demand	SM 5210B-2016
Carbonaceous BOD	SM 5210B-2016
Chemical Oxygen Demand	EPA 410.4, Rev. 2.0 (1993)

**Fuel Oxygenates**

Ethanol	EPA 1671
	EPA 8260C
	EPA 624.1
	EPA 8015D
Methyl tert-butyl ether	EPA 8260C
	EPA 624.1
tert-amyl methyl ether (TAME)	EPA 8260C
tert-butyl alcohol	EPA 8260C

**Haloethers**

2,2'-Oxybis(1-chloropropane)	EPA 625.1
	EPA 8270D
4-Bromophenylphenyl ether	EPA 625.1
	EPA 8270D
4-Chlorophenylphenyl ether	EPA 625.1
	EPA 8270D
Bis(2-chloroethoxy)methane	EPA 625.1
	EPA 8270D
Bis(2-chloroethyl)ether	EPA 625.1
	EPA 8270D

**Serial No.: 68534**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**MS. TARA DANIELS**  
**ADIRONDACK ENVIRONMENTAL SERVICES INC**  
**314 NORTH PEARL STREET**  
**ALBANY, NY 12207**

**NY Lab Id No: 10709**

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved analytes are listed below:*

**Metals I**

Barium, Total	EPA 200.7, Rev. 4.4 (1994) EPA 6010C
Cadmium, Total	EPA 200.8, Rev. 5.4 (1994) EPA 200.7, Rev. 4.4 (1994) EPA 6010C
Calcium, Total	EPA 200.8, Rev. 5.4 (1994) EPA 200.7, Rev. 4.4 (1994) EPA 6010C
Chromium, Total	EPA 200.7, Rev. 4.4 (1994) EPA 6010C
Copper, Total	EPA 200.8, Rev. 5.4 (1994) EPA 200.7, Rev. 4.4 (1994) EPA 6010C
Iron, Total	EPA 200.8, Rev. 5.4 (1994) EPA 200.7, Rev. 4.4 (1994) EPA 6010C
Lead, Total	EPA 200.8, Rev. 5.4 (1994) EPA 200.7, Rev. 4.4 (1994) EPA 6010C
Magnesium, Total	EPA 200.8, Rev. 5.4 (1994) EPA 200.7, Rev. 4.4 (1994) EPA 6010C
Manganese, Total	EPA 200.8, Rev. 5.4 (1994) EPA 200.7, Rev. 4.4 (1994) EPA 6010C
Nickel, Total	EPA 200.8, Rev. 5.4 (1994) EPA 200.7, Rev. 4.4 (1994) EPA 6010C

**Serial No.: 68534**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**MS. TARA DANIELS**  
**ADIRONDACK ENVIRONMENTAL SERVICES INC**  
**314 NORTH PEARL STREET**  
**ALBANY, NY 12207**

**NY Lab Id No: 10709**

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved analytes are listed below:*

**Metals I**

Nickel, Total	EPA 200.8, Rev. 5.4 (1994)
Potassium, Total	EPA 200.7, Rev. 4.4 (1994) EPA 6010C
Silver, Total	EPA 200.7, Rev. 4.4 (1994) EPA 6010C
Sodium, Total	EPA 200.8, Rev. 5.4 (1994) EPA 200.7, Rev. 4.4 (1994) EPA 6010C
Strontium, Total	EPA 200.7, Rev. 4.4 (1994) EPA 6010C

**Metals II**

Aluminum, Total	EPA 200.7, Rev. 4.4 (1994) EPA 6010C EPA 200.8, Rev. 5.4 (1994)
Antimony, Total	EPA 200.7, Rev. 4.4 (1994) EPA 6010C EPA 200.8, Rev. 5.4 (1994)
Arsenic, Total	EPA 200.7, Rev. 4.4 (1994) EPA 6010C EPA 200.8, Rev. 5.4 (1994)
Beryllium, Total	EPA 200.7, Rev. 4.4 (1994) EPA 6010C EPA 200.8, Rev. 5.4 (1994)
Chromium VI	EPA 7196A SM 3500-Cr B-2011
Mercury, Low Level	EPA 1631E
Mercury, Total	EPA 245.1, Rev. 3.0 (1994)

**Serial No.: 68534**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**MS. TARA DANIELS**  
**ADIRONDACK ENVIRONMENTAL SERVICES INC**  
**314 NORTH PEARL STREET**  
**ALBANY, NY 12207**

**NY Lab Id No: 10709**

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved analytes are listed below:*

**Metals II**

Mercury, Total	EPA 7470A
Selenium, Total	EPA 200.7, Rev. 4.4 (1994) EPA 6010C EPA 200.8, Rev. 5.4 (1994)
Vanadium, Total	EPA 200.7, Rev. 4.4 (1994) EPA 6010C EPA 200.8, Rev. 5.4 (1994)
Zinc, Total	EPA 200.7, Rev. 4.4 (1994) EPA 6010C EPA 200.8, Rev. 5.4 (1994)

**Metals III**

Cobalt, Total	EPA 200.7, Rev. 4.4 (1994) EPA 6010C EPA 200.8, Rev. 5.4 (1994)
Molybdenum, Total	EPA 200.7, Rev. 4.4 (1994) EPA 6010C
Thallium, Total	EPA 200.7, Rev. 4.4 (1994) EPA 6010C EPA 200.8, Rev. 5.4 (1994)
Tin, Total	EPA 200.7, Rev. 4.4 (1994) EPA 6010C
Titanium, Total	EPA 200.7, Rev. 4.4 (1994) EPA 6010C

**Mineral**

Acidity	SM 2310B-2011
Alkalinity	SM 2320B-2011

**Serial No.: 68534**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**MS. TARA DANIELS**  
**ADIRONDACK ENVIRONMENTAL SERVICES INC**  
**314 NORTH PEARL STREET**  
**ALBANY, NY 12207**

**NY Lab Id No: 10709**

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved analytes are listed below:*

**Mineral**

Calcium Hardness	EPA 200.7, Rev. 4.4 (1994)
Chloride	EPA 300.0, Rev. 2.1 (1993) SM 4500-Cl- C-2011
Fluoride, Total	EPA 300.0, Rev. 2.1 (1993) SM 4500-F- C-2011
Hardness, Total	SM 2340B-2011
Sulfate (as SO <sub>4</sub> )	EPA 300.0, Rev. 2.1 (1993)

**Miscellaneous**

Boron, Total	EPA 200.7, Rev. 4.4 (1994) EPA 6010C
Bromide	EPA 300.0, Rev. 2.1 (1993)
Color	SM 2120B-2011
Corrosivity	SM 2330-2016
Cyanide, Total	SM 4500-CN E-2016 EPA 335.4, Rev. 1.0 (1993)
Formaldehyde	EPA 8315A
non-Polar Extractable Material (TPH)	EPA 1664A
Oil and Grease Total Recoverable	EPA 1664A
Organic Carbon, Total	SM 5310C-2014
Phenols	EPA 420.1 (Rev. 1978)
Specific Conductance	EPA 120.1 (Rev. 1982) SM 2510B-2011
Sulfide (as S)	SM 4500-S2- D-2011
Surfactant (MBAS)	SM 5540C-2011
Turbidity	SM 2130 B-2011 EPA 180.1, Rev. 2.0 (1993)

**Serial No.: 68534**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).





NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**MS. TARA DANIELS**  
**ADIRONDACK ENVIRONMENTAL SERVICES INC**  
**314 NORTH PEARL STREET**  
**ALBANY, NY 12207**

**NY Lab Id No: 10709**

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved analytes are listed below:*

**Nitroaromatics and Isophorone**

1,3,5-Trinitrobenzene	EPA 8270D
1,3-Dinitrobenzene	EPA 8270D
1,4-Naphthoquinone	EPA 8270D
2,4-Dinitrotoluene	EPA 625.1
	EPA 8270D
2,6-Dinitrotoluene	EPA 625.1
	EPA 8270D
4-Nitroquinoline-1-oxide	EPA 8270D
Isophorone	EPA 625.1
	EPA 8270D
Nitrobenzene	EPA 625.1
	EPA 8270D

**Nitrosoamines**

N-Nitrosodiethylamine	EPA 8270D
N-Nitrosodimethylamine	EPA 625.1
	EPA 8270D
N-Nitrosodi-n-butylamine	EPA 8270D
N-Nitrosodi-n-propylamine	EPA 625.1
	EPA 8270D
N-Nitrosodiphenylamine	EPA 625.1
	EPA 8270D
N-nitrosomethylethylamine	EPA 8270D
N-nitrosomorpholine	EPA 8270D
N-nitrosopiperidine	EPA 8270D
N-Nitrosopyrrolidine	EPA 8270D

**Serial No.: 68534**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**MS. TARA DANIELS**  
**ADIRONDACK ENVIRONMENTAL SERVICES INC**  
**314 NORTH PEARL STREET**  
**ALBANY, NY 12207**

**NY Lab Id No: 10709**

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved analytes are listed below:*

**Nutrient**

Ammonia (as N)	SM 4500-NH3 G-2011 SM 4500-NH3 C-2011 EPA 350.1, Rev. 2.0 (1993)
Kjeldahl Nitrogen, Total	SM 4500-NH3 C-2011
Nitrate (as N)	EPA 300.0, Rev. 2.1 (1993) SM 4500-NO3 F-2016
Nitrate-Nitrite (as N)	SM 4500-NO3 F-2016
Nitrite (as N)	EPA 300.0, Rev. 2.1 (1993) SM 4500-NO2 B-2011
Organic Nitrogen (as N)	TKN minus Ammonia (as N)
Orthophosphate (as P)	EPA 300.0, Rev. 2.1 (1993) SM 4500-P E-2011
Phosphorus, Total	SM 4500-P E-2011 SM 4500-P (F-H)-2011

**Organophosphate Pesticides**

Atrazine	EPA 8141B
Azinphos methyl	EPA 8141B
Chlorpyrifos	EPA 8141B
Diazinon	EPA 8141B
Dimethoate	EPA 8141B
Disulfoton	EPA 8141B
Famphur	EPA 8141B
Malathion	EPA 8141B
Parathion ethyl	EPA 8141B
Parathion methyl	EPA 8141B
Pendimethalin	EPA 8141B
Phorate	EPA 8141B

**Serial No.: 68534**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**MS. TARA DANIELS**  
**ADIRONDACK ENVIRONMENTAL SERVICES INC**  
**314 NORTH PEARL STREET**  
**ALBANY, NY 12207**

**NY Lab Id No: 10709**

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved analytes are listed below:*

**Organophosphate Pesticides**

Simazine	EPA 8141B
Sulfotepp	EPA 8141B
Thionazin	EPA 8141B

**Phthalate Esters**

Benzyl butyl phthalate	EPA 625.1
	EPA 606
	EPA 8270D
Bis(2-ethylhexyl) phthalate	EPA 625.1
	EPA 606
	EPA 8270D
Diethyl phthalate	EPA 625.1
	EPA 606
	EPA 8270D
Dimethyl phthalate	EPA 625.1
	EPA 606
	EPA 8270D
Di-n-butyl phthalate	EPA 625.1
	EPA 606
	EPA 8270D
Di-n-octyl phthalate	EPA 625.1
	EPA 606
	EPA 8270D

**Polychlorinated Biphenyls**

Aroclor 1016 (PCB-1016)	EPA 8082A
	EPA 608.3
Aroclor 1221 (PCB-1221)	EPA 8082A

**Serial No.: 68534**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**MS. TARA DANIELS**  
**ADIRONDACK ENVIRONMENTAL SERVICES INC**  
**314 NORTH PEARL STREET**  
**ALBANY, NY 12207**

*NY Lab Id No: 10709*

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved analytes are listed below:*

**Polychlorinated Biphenyls**

Aroclor 1221 (PCB-1221)	EPA 608.3
Aroclor 1232 (PCB-1232)	EPA 8082A EPA 608.3
Aroclor 1242 (PCB-1242)	EPA 8082A EPA 608.3
Aroclor 1248 (PCB-1248)	EPA 8082A EPA 608.3
Aroclor 1254 (PCB-1254)	EPA 8082A EPA 608.3
Aroclor 1260 (PCB-1260)	EPA 8082A EPA 608.3
Aroclor 1262 (PCB-1262)	EPA 8082A
Aroclor 1268 (PCB-1268)	EPA 8082A

**Polynuclear Aromatics**

2-Acetylaminofluorene	EPA 8270D
3-Methylcholanthrene	EPA 8270D
7,12-Dimethylbenzyl (a) anthracene	EPA 8270D
Acenaphthene	EPA 625.1 EPA 8270D
Acenaphthylene	EPA 625.1 EPA 8270D
Anthracene	EPA 625.1 EPA 8270D
Benzo(a)anthracene	EPA 625.1 EPA 8270D
Benzo(a)pyrene	EPA 625.1 EPA 8270D

**Serial No.: 68534**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**MS. TARA DANIELS**  
**ADIRONDACK ENVIRONMENTAL SERVICES INC**  
**314 NORTH PEARL STREET**  
**ALBANY, NY 12207**

*NY Lab Id No: 10709*

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved analytes are listed below:*

**Polynuclear Aromatics**

Benzo(b)fluoranthene	EPA 625.1
	EPA 8270D
Benzo(g,h,i)perylene	EPA 625.1
	EPA 8270D
Benzo(k)fluoranthene	EPA 625.1
	EPA 8270D
Chrysene	EPA 625.1
	EPA 8270D
Dibenzo(a,h)anthracene	EPA 625.1
	EPA 8270D
Fluoranthene	EPA 625.1
	EPA 8270D
Fluorene	EPA 625.1
	EPA 8270D
Indeno(1,2,3-cd)pyrene	EPA 625.1
	EPA 8270D
Naphthalene	EPA 625.1
	EPA 8270D
Phenanthrene	EPA 625.1
	EPA 8270D
Pyrene	EPA 625.1
	EPA 8270D

**Priority Pollutant Phenols**

2,3,4,6 Tetrachlorophenol	EPA 8270D
2,4,5-Trichlorophenol	EPA 8270D
2,4,6-Trichlorophenol	EPA 625.1
	EPA 8270D

**Serial No.: 68534**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**MS. TARA DANIELS**  
**ADIRONDACK ENVIRONMENTAL SERVICES INC**  
**314 NORTH PEARL STREET**  
**ALBANY, NY 12207**

**NY Lab Id No: 10709**

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved analytes are listed below:*

**Priority Pollutant Phenols**

2,4-Dichlorophenol	EPA 625.1 EPA 8270D
2,4-Dimethylphenol	EPA 625.1 EPA 8270D
2,4-Dinitrophenol	EPA 625.1 EPA 8270D
2,6-Dichlorophenol	EPA 8270D
2-Chlorophenol	EPA 625.1 EPA 8270D
2-Methyl-4,6-dinitrophenol	EPA 625.1 EPA 8270D
2-Methylphenol	EPA 8270D
2-Nitrophenol	EPA 625.1 EPA 8270D
3-Methylphenol	EPA 8270D
4-Chloro-3-methylphenol	EPA 625.1 EPA 8270D
4-Methylphenol	EPA 8270D
4-Nitrophenol	EPA 625.1 EPA 8270D
Cresols, Total	EPA 8270D
Pentachlorophenol	EPA 625.1 EPA 8270D
Phenol	EPA 625.1 EPA 8270D

**Residue**

Settleable Solids	SM 2540 F-2015
-------------------	----------------

**Serial No.: 68534**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**MS. TARA DANIELS**  
**ADIRONDACK ENVIRONMENTAL SERVICES INC**  
**314 NORTH PEARL STREET**  
**ALBANY, NY 12207**

**NY Lab Id No: 10709**

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved analytes are listed below:*

**Residue**

Solids, Total	SM 2540 B-2015
Solids, Total Dissolved	SM 2540 C-2015
Solids, Total Suspended	SM 2540 D-2015
Solids, Volatile	SM 2540 E-2015

**Semi-Volatile Organics**

1,1'-Biphenyl	EPA 8270D
1,2-Dichlorobenzene, Semi-volatile	EPA 8270D
1,3-Dichlorobenzene, Semi-volatile	EPA 8270D
1,4-Dichlorobenzene, Semi-volatile	EPA 8270D
2-Methylnaphthalene	EPA 8270D
2-Picoline	EPA 8270D
4-Amino biphenyl	EPA 8270D
Acetophenone	EPA 8270D
alpha-Terpineol	EPA 625.1
Aramite	EPA 8270D
Benzaldehyde	EPA 8270D
Benzoic Acid	EPA 8270D
Benzyl alcohol	EPA 8270D
Caprolactam	EPA 8270D
Dibenzofuran	EPA 8270D
Ethyl methanesulfonate	EPA 8270D
Isosafrole	EPA 8270D
Methyl methanesulfonate	EPA 8270D
n-Decane	EPA 625.1
n-Octadecane	EPA 625.1
O,O,O-Triethyl phosphorothioate	EPA 8270D
p-Dimethylaminoazobenzene	EPA 8270D



**Serial No.: 68534**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**MS. TARA DANIELS**  
**ADIRONDACK ENVIRONMENTAL SERVICES INC**  
**314 NORTH PEARL STREET**  
**ALBANY, NY 12207**

**NY Lab Id No: 10709**

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved analytes are listed below:*

**Semi-Volatile Organics**

Phenacetin	EPA 8270D
Safrole	EPA 8270D

**Volatile Aromatics**

1,2,4-Trichlorobenzene, Volatile	EPA 8260C
1,2,4-Trimethylbenzene	EPA 8260C
1,2-Dichlorobenzene	EPA 8260C EPA 601 EPA 624.1 EPA 602 EPA 524.2
1,3,5-Trimethylbenzene	EPA 8260C
1,3-Dichlorobenzene	EPA 8260C EPA 601 EPA 624.1 EPA 602
1,4-Dichlorobenzene	EPA 8260C EPA 601 EPA 624.1 EPA 602
2-Chlorotoluene	EPA 8260C
4-Chlorotoluene	EPA 8260C
Benzene	EPA 8260C EPA 624.1 EPA 602 EPA 524.2
Bromobenzene	EPA 8260C
Chlorobenzene	EPA 8260C



**Serial No.: 68534**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).





NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**MS. TARA DANIELS**  
**ADIRONDACK ENVIRONMENTAL SERVICES INC**  
**314 NORTH PEARL STREET**  
**ALBANY, NY 12207**

*NY Lab Id No: 10709*

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved analytes are listed below:*

**Volatile Aromatics**

Chlorobenzene	EPA 601 EPA 624.1 EPA 602 EPA 524.2
Ethyl benzene	EPA 8260C EPA 624.1 EPA 602
Isopropylbenzene	EPA 8260C
m/p-Xylenes	EPA 8260C EPA 624.1
Naphthalene, Volatile	EPA 8260C EPA 624.1
n-Butylbenzene	EPA 8260C
n-Propylbenzene	EPA 8260C
o-Xylene	EPA 8260C EPA 624.1
p-Isopropyltoluene (P-Cymene)	EPA 8260C
sec-Butylbenzene	EPA 8260C
Styrene	EPA 8260C EPA 624.1
tert-Butylbenzene	EPA 8260C
Toluene	EPA 8260C EPA 624.1 EPA 602 EPA 524.2
Total Xylenes	EPA 8260C EPA 624.1



**Serial No.: 68534**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**MS. TARA DANIELS**  
**ADIRONDACK ENVIRONMENTAL SERVICES INC**  
**314 NORTH PEARL STREET**  
**ALBANY, NY 12207**

**NY Lab Id No: 10709**

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved analytes are listed below:*

**Volatile Aromatics**

Total Xylenes EPA 602

**Volatile Chlorinated Organics**

Benzyl chloride EPA 8260C

Epichlorohydrin EPA 8260C

**Volatile Halocarbons**

1,1,1,2-Tetrachloroethane EPA 8260C

1,1,1-Trichloroethane EPA 8260C

EPA 601

EPA 624.1

1,1,2,2-Tetrachloroethane EPA 8260C

EPA 601

EPA 624.1

1,1,2-Trichloro-1,2,2-Trifluoroethane EPA 8260C

EPA 624.1

1,1,2-Trichloroethane EPA 8260C

EPA 601

EPA 624.1

1,1-Dichloroethane EPA 8260C

EPA 601

EPA 624.1

1,1-Dichloroethene EPA 8260C

EPA 601

EPA 624.1

1,1-Dichloropropene EPA 8260C

1,2,3-Trichloropropane EPA 8260C

1,2-Dibromo-3-chloropropane EPA 8260C

**Serial No.: 68534**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**MS. TARA DANIELS**  
**ADIRONDACK ENVIRONMENTAL SERVICES INC**  
**314 NORTH PEARL STREET**  
**ALBANY, NY 12207**

*NY Lab Id No: 10709*

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved analytes are listed below:*

**Volatile Halocarbons**

1,2-Dibromoethane	EPA 8260C
1,2-Dichloroethane	EPA 8260C
	EPA 601
	EPA 624.1
	EPA 524.2
1,2-Dichloropropane	EPA 8260C
	EPA 601
	EPA 624.1
1,3-Dichloropropane	EPA 8260C
2,2-Dichloropropane	EPA 8260C
2-Chloro-1,3-butadiene (Chloroprene)	EPA 8260C
2-Chloroethylvinyl ether	EPA 8260C
	EPA 601
	EPA 624.1
3-Chloropropene (Allyl chloride)	EPA 8260C
Bromochloromethane	EPA 8260C
Bromodichloromethane	EPA 8260C
	EPA 601
	EPA 624.1
Bromoform	EPA 8260C
	EPA 601
	EPA 624.1
Bromomethane	EPA 8260C
	EPA 601
	EPA 624.1
Carbon tetrachloride	EPA 8260C
	EPA 601



**Serial No.: 68534**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**MS. TARA DANIELS**  
**ADIRONDACK ENVIRONMENTAL SERVICES INC**  
**314 NORTH PEARL STREET**  
**ALBANY, NY 12207**

*NY Lab Id No: 10709*

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved analytes are listed below:*

**Volatile Halocarbons**

Carbon tetrachloride	EPA 624.1
Chloroethane	EPA 8260C EPA 601 EPA 624.1
Chloroform	EPA 8260C EPA 601 EPA 624.1 EPA 524.2
Chloromethane	EPA 8260C EPA 601 EPA 624.1
cis-1,2-Dichloroethene	EPA 8260C EPA 624.1
cis-1,3-Dichloropropene	EPA 8260C EPA 601 EPA 624.1
cis-1,4-Dichloro-2-butene	EPA 8260C
Dibromochloromethane	EPA 8260C EPA 601 EPA 624.1
Dibromomethane	EPA 8260C
Dichlorodifluoromethane	EPA 8260C EPA 601 EPA 624.1
Hexachlorobutadiene, Volatile	EPA 8260C
Methyl iodide	EPA 8260C
Methylene chloride	EPA 8260C



**Serial No.: 68534**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**MS. TARA DANIELS**  
**ADIRONDACK ENVIRONMENTAL SERVICES INC**  
**314 NORTH PEARL STREET**  
**ALBANY, NY 12207**

**NY Lab Id No: 10709**

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved analytes are listed below:*

**Volatile Halocarbons**

Methylene chloride	EPA 601
	EPA 624.1
	EPA 524.2
Tetrachloroethene	EPA 8260C
	EPA 601
	EPA 624.1
trans-1,2-Dichloroethene	EPA 8260C
	EPA 601
	EPA 624.1
trans-1,3-Dichloropropene	EPA 8260C
	EPA 601
	EPA 624.1
trans-1,4-Dichloro-2-butene	EPA 8260C
	EPA 601
	EPA 624.1
Trichloroethene	EPA 8260C
	EPA 601
	EPA 624.1
Trichlorofluoromethane	EPA 8260C
	EPA 601
	EPA 624.1
Vinyl chloride	EPA 8260C
	EPA 601
	EPA 624.1

**Volatiles Organics**

1,4-Dioxane	EPA 8260C
	EPA 8270D SIM
2-Butanone (Methylethyl ketone)	EPA 8260C
2-Hexanone	EPA 8260C

**Serial No.: 68534**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**MS. TARA DANIELS**  
**ADIRONDACK ENVIRONMENTAL SERVICES INC**  
**314 NORTH PEARL STREET**  
**ALBANY, NY 12207**

**NY Lab Id No: 10709**

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved analytes are listed below:*

**Volatiles Organics**

2-Nitropropane	EPA 8260C
4-Methyl-2-Pentanone	EPA 8260C
	EPA 524.2
Acetone	EPA 8260C
	EPA 624.1
	EPA 524.2
Acetonitrile	EPA 1671
	EPA 8260C
	EPA 624.1
Carbon Disulfide	EPA 8260C
Cyclohexane	EPA 8260C
Di-ethyl ether	EPA 8260C
Diethylamine	EPA 1671
Dimethyl sulfoxide	EPA 1671
Ethyl Acetate	EPA 624.1
Ethylene Glycol	EPA 8015D
Ethylene thiourea	EPA 509 (1995)
Isobutyl alcohol	EPA 8260C
Isopropanol	EPA 8260C
Methanol	EPA 1671
	EPA 8015D
Methyl acetate	EPA 8260C
	EPA 8015D
Methyl cellosolve (2-Methoxyethanol)	EPA 1671
Methyl cyclohexane	EPA 8260C
n-Butanol	EPA 8260C
n-Propanol	EPA 624.1



**Serial No.: 68534**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**MS. TARA DANIELS**  
**ADIRONDACK ENVIRONMENTAL SERVICES INC**  
**314 NORTH PEARL STREET**  
**ALBANY, NY 12207**

**NY Lab Id No: 10709**

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved analytes are listed below:*

**Volatiles Organics**

o-Toluidine	EPA 8260C
	EPA 8270D
Propylene Glycol	EPA 8015D
Tetrahydrofuran	EPA 624.1
	EPA 524.2
Triethylamine	EPA 1671
Vinyl acetate	EPA 8260C

**Sample Preparation Methods**

SM 4500-P B(5)-2011  
EPA 5030C  
EPA 3010A  
EPA 3005A  
EPA 3510C  
EPA 3535A  
SM 4500-N Org B-2011 or C-2011



**Serial No.: 68534**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024  
Revised August 15, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

*MS. TARA DANIELS  
ADIRONDACK ENVIRONMENTAL SERVICES INC  
314 NORTH PEARL STREET  
ALBANY, NY 12207*

*NY Lab Id No: 10709*

*is hereby APPROVED as an Environmental Laboratory for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved subcategories and/or analytes are listed below:*

**Bacteriology**

Legionella ISO 11731:2017(E)

**Nitrosoamines**

N-Nitrosodiphenylamine AES Method 86306G



Serial No.: 69524

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

*MS. TARA DANIELS  
ADIRONDACK ENVIRONMENTAL SERVICES INC  
314 NORTH PEARL STREET  
ALBANY, NY 12207*

*NY Lab Id No: 10709*

*is hereby APPROVED as an Environmental Laboratory for the category  
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE  
All approved subcategories and/or analytes are listed below:*

**Miscellaneous**

Asbestos in Friable Material	Item 198.1 of Manual
Asbestos in Non-Friable Material-PLM	Item 198.6 of Manual (NOB by PLM)
Asbestos in Non-Friable Material-TEM	Item 198.4 of Manual
Lead in Dust Wipes	EPA 6010C
Lead in Paint	EPA 6010C

**Sample Preparation Methods**

EPA 3050B



**Serial No.: 68537**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).

NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**MS. TARA DANIELS**  
**ADIRONDACK ENVIRONMENTAL SERVICES INC**  
**314 NORTH PEARL STREET**  
**ALBANY, NY 12207**

**NY Lab Id No: 10709**

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES AIR AND EMISSIONS  
All approved analytes are listed below:*

**Metals II**

Beryllium, Total	NIOSH 7300
Mercury, Total	NIOSH 6009

**Metals III**

Chromium, Total	NIOSH 7300
-----------------	------------



**Serial No.: 68538**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024  
Revised May 07, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**MS. TARA DANIELS**  
**ADIRONDACK ENVIRONMENTAL SERVICES INC**  
**314 NORTH PEARL STREET**  
**ALBANY, NY 12207**

**NY Lab Id No: 10709**

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE  
All approved analytes are listed below:*

**Acrylates**

Acrolein (Propenal)	EPA 8260C
Acrylonitrile	EPA 8260C

**Amines**

2-Chloroaniline	EPA 8270D
2-Nitroaniline	EPA 8270D
3-Nitroaniline	EPA 8270D
4-Chloroaniline	EPA 8270D
4-Nitroaniline	EPA 8270D
Carbazole	EPA 8270D

**Benzidines**

3,3'-Dichlorobenzidine	EPA 8270D
Benzidine	EPA 8270D

**Characteristic Testing**

Corrosivity (pH)	EPA 9040C
	EPA 9045D
Free Liquids	EPA 9095B
Ignitability	EPA 1030
	EPA 1010A
Synthetic Precipitation Leaching Proc.	EPA 1312
TCLP	EPA 1311

**Chlorinated Hydrocarbon Pesticides**

4,4'-DDD	EPA 8081B
4,4'-DDE	EPA 8081B
4,4'-DDT	EPA 8081B
Aldrin	EPA 8081B
alpha-BHC	EPA 8081B

**Serial No.: 69357**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024  
Revised May 07, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**MS. TARA DANIELS**  
**ADIRONDACK ENVIRONMENTAL SERVICES INC**  
**314 NORTH PEARL STREET**  
**ALBANY, NY 12207**

**NY Lab Id No: 10709**

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE  
All approved analytes are listed below:*

**Chlorinated Hydrocarbon Pesticides**

alpha-Chlordane	EPA 8081B
beta-BHC	EPA 8081B
Chlordane Total	EPA 8081B
delta-BHC	EPA 8081B
Dieldrin	EPA 8081B
Endosulfan I	EPA 8081B
Endosulfan II	EPA 8081B
Endosulfan sulfate	EPA 8081B
Endrin	EPA 8081B
Endrin aldehyde	EPA 8081B
Endrin Ketone	EPA 8081B
gamma-Chlordane	EPA 8081B
Heptachlor	EPA 8081B
Heptachlor epoxide	EPA 8081B
Lindane	EPA 8081B
Methoxychlor	EPA 8081B
Mirex	EPA 8081B
Toxaphene	EPA 8081B

**Chlorinated Hydrocarbons**

1,2,3-Trichlorobenzene	EPA 8260C
1,2,4,5-Tetrachlorobenzene	EPA 8270D
1,2,4-Trichlorobenzene	EPA 8270D
1-Chloronaphthalene	EPA 8270D
2-Chloronaphthalene	EPA 8270D
Hexachlorobenzene	EPA 8270D
Hexachlorobutadiene	EPA 8270D
Hexachlorocyclopentadiene	EPA 8270D

**Serial No.: 69357**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024  
Revised May 07, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**MS. TARA DANIELS**  
**ADIRONDACK ENVIRONMENTAL SERVICES INC**  
**314 NORTH PEARL STREET**  
**ALBANY, NY 12207**

**NY Lab Id No: 10709**

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE  
All approved analytes are listed below:*

**Chlorinated Hydrocarbons**

Hexachloroethane EPA 8270D

**Chlorophenoxy Acid Pesticides**

2,4,5-T EPA 8321B

2,4,5-TP (Silvex) EPA 8321B

2,4-D EPA 8321B

**Haloethers**

2,2'-Oxybis(1-chloropropane) EPA 8270D

4-Bromophenylphenyl ether EPA 8270D

4-Chlorophenylphenyl ether EPA 8270D

Bis(2-chloroethoxy)methane EPA 8270D

Bis(2-chloroethyl)ether EPA 8270D

**Metals I**

Barium, Total EPA 6010C

Cadmium, Total EPA 6010C

Calcium, Total EPA 6010C

Chromium, Total EPA 6010C

Copper, Total EPA 6010C

Iron, Total EPA 6010C

Lead, Total EPA 6010C

Magnesium, Total EPA 6010C

Manganese, Total EPA 6010C

Nickel, Total EPA 6010C

Potassium, Total EPA 6010C

Silver, Total EPA 6010C

Sodium, Total EPA 6010C

Strontium, Total EPA 6010C



**Serial No.: 69357**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024  
Revised May 07, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**MS. TARA DANIELS**  
**ADIRONDACK ENVIRONMENTAL SERVICES INC**  
**314 NORTH PEARL STREET**  
**ALBANY, NY 12207**

**NY Lab Id No: 10709**

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE  
All approved analytes are listed below:*

**Metals II**

Aluminum, Total	EPA 6010C
Antimony, Total	EPA 6010C
Arsenic, Total	EPA 6010C
Beryllium, Total	EPA 6010C
Chromium VI	EPA 7196A
Mercury, Total	EPA 7471B
Selenium, Total	EPA 6010C
Vanadium, Total	EPA 6010C
Zinc, Total	EPA 6010C

**Metals III**

Cobalt, Total	EPA 6010C
Molybdenum, Total	EPA 6010C
Thallium, Total	EPA 6010C
Tin, Total	EPA 6010C
Titanium, Total	EPA 6010C

**Minerals**

Bromide	EPA 9056A
Chloride	EPA 9056A
Fluoride, Total	EPA 9056A
Sulfate (as SO4)	EPA 9056A

**Miscellaneous**

Boron, Total	EPA 6010C
Cyanide, Total	EPA 9012B
Organic Carbon, Total	Lloyd Kahn Method

**Nitroaromatics and Isophorone**

2,4-Dinitrotoluene	EPA 8270D
--------------------	-----------

**Serial No.: 69357**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024  
Revised May 07, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**MS. TARA DANIELS**  
**ADIRONDACK ENVIRONMENTAL SERVICES INC**  
**314 NORTH PEARL STREET**  
**ALBANY, NY 12207**

**NY Lab Id No: 10709**

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE  
All approved analytes are listed below:*

**Nitroaromatics and Isophorone**

2,6-Dinitrotoluene	EPA 8270D
Isophorone	EPA 8270D
Pyridine	EPA 8270D

**Nitrosoamines**

N-Nitrosodimethylamine	EPA 8270D
N-Nitrosodi-n-propylamine	EPA 8270D
N-Nitrosodiphenylamine	EPA 8270D
N-nitrosomorpholine	EPA 8270D

**Nutrients**

Nitrate (as N)	EPA 9056A
Nitrite (as N)	EPA 9056A
Orthophosphate (as P)	EPA 9056A

**Organophosphate Pesticides**

Azinphos methyl	EPA 8141B
Diazinon	EPA 8141B
Disulfoton	EPA 8141B
Famphur	EPA 8141B
Malathion	EPA 8141B
Parathion ethyl	EPA 8141B
Parathion methyl	EPA 8141B
Phorate	EPA 8141B
Sulfotepp	EPA 8141B
TEPP	EPA 8141B
Thionazin	EPA 8141B

**Petroleum Hydrocarbons**

Diesel Range Organics	EPA 8015D
-----------------------	-----------

**Serial No.: 69357**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024  
Revised May 07, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**MS. TARA DANIELS**  
**ADIRONDACK ENVIRONMENTAL SERVICES INC**  
**314 NORTH PEARL STREET**  
**ALBANY, NY 12207**

**NY Lab Id No: 10709**

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE  
All approved analytes are listed below:*

**Petroleum Hydrocarbons**

Gasoline Range Organics EPA 8015D

**Phthalate Esters**

Benzyl butyl phthalate EPA 8270D

Bis(2-ethylhexyl) phthalate EPA 8270D

Diethyl phthalate EPA 8270D

Dimethyl phthalate EPA 8270D

Di-n-butyl phthalate EPA 8270D

Di-n-octyl phthalate EPA 8270D

**Polychlorinated Biphenyls**

Aroclor 1016 (PCB-1016) EPA 8082A

Aroclor 1016 (PCB-1016) in Oil EPA 8082A

Aroclor 1221 (PCB-1221) EPA 8082A

Aroclor 1221 (PCB-1221) in Oil EPA 8082A

Aroclor 1232 (PCB-1232) EPA 8082A

Aroclor 1232 (PCB-1232) in Oil EPA 8082A

Aroclor 1242 (PCB-1242) EPA 8082A

Aroclor 1242 (PCB-1242) in Oil EPA 8082A

Aroclor 1248 (PCB-1248) EPA 8082A

Aroclor 1248 (PCB-1248) in Oil EPA 8082A

Aroclor 1254 (PCB-1254) EPA 8082A

Aroclor 1254 (PCB-1254) in Oil EPA 8082A

Aroclor 1260 (PCB-1260) EPA 8082A

Aroclor 1260 (PCB-1260) in Oil EPA 8082A

Aroclor 1262 (PCB-1262) EPA 8082A

Aroclor 1262 (PCB-1262) in Oil EPA 8082A

Aroclor 1268 (PCB-1268) EPA 8082A



**Serial No.: 69357**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).





NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024  
Revised May 07, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**MS. TARA DANIELS**  
**ADIRONDACK ENVIRONMENTAL SERVICES INC**  
**314 NORTH PEARL STREET**  
**ALBANY, NY 12207**

**NY Lab Id No: 10709**

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE  
All approved analytes are listed below:*

**Polychlorinated Biphenyls**

Aroclor 1268 (PCB-1268) in Oil      EPA 8082A

**Polynuclear Aromatic Hydrocarbons**

Acenaphthene	EPA 8270D
Acenaphthylene	EPA 8270D
Anthracene	EPA 8270D
Benzo(a)anthracene	EPA 8270D
Benzo(a)pyrene	EPA 8270D
Benzo(b)fluoranthene	EPA 8270D
Benzo(g,h,i)perylene	EPA 8270D
Benzo(k)fluoranthene	EPA 8270D
Chrysene	EPA 8270D
Dibenzo(a,h)anthracene	EPA 8270D
Fluoranthene	EPA 8270D
Fluorene	EPA 8270D
Indeno(1,2,3-cd)pyrene	EPA 8270D
Naphthalene	EPA 8270D
Phenanthrene	EPA 8270D
Pyrene	EPA 8270D

**Priority Pollutant Phenols**

2,4,5-Trichlorophenol	EPA 8270D
2,4,6-Trichlorophenol	EPA 8270D
2,4-Dichlorophenol	EPA 8270D
2,4-Dimethylphenol	EPA 8270D
2,4-Dinitrophenol	EPA 8270D
2,6-Dichlorophenol	EPA 8270D
2-Chlorophenol	EPA 8270D

**Serial No.: 69357**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024  
Revised May 07, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**MS. TARA DANIELS**  
**ADIRONDACK ENVIRONMENTAL SERVICES INC**  
**314 NORTH PEARL STREET**  
**ALBANY, NY 12207**

**NY Lab Id No: 10709**

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE  
All approved analytes are listed below:*

**Priority Pollutant Phenols**

2-Methyl-4,6-dinitrophenol	EPA 8270D
2-Methylphenol	EPA 8270D
2-Nitrophenol	EPA 8270D
3-Methylphenol	EPA 8270D
4-Chloro-3-methylphenol	EPA 8270D
4-Methylphenol	EPA 8270D
4-Nitrophenol	EPA 8270D
Pentachlorophenol	EPA 8270D
Phenol	EPA 8270D

**Semi-Volatile Organics**

1,1'-Biphenyl	EPA 8270D
1,2-Dichlorobenzene, Semi-volatile	EPA 8270D
1,3-Dichlorobenzene, Semi-volatile	EPA 8270D
1,4-Dichlorobenzene, Semi-volatile	EPA 8270D
2-Methylnaphthalene	EPA 8270D
Acetophenone	EPA 8270D
Benzaldehyde	EPA 8270D
Benzoic Acid	EPA 8270D
Benzyl alcohol	EPA 8270D
Caprolactam	EPA 8270D
Dibenzofuran	EPA 8270D

**Volatile Aromatics**

1,2,4-Trichlorobenzene, Volatile	EPA 8260C
1,2,4-Trimethylbenzene	EPA 8260C
1,2-Dichlorobenzene	EPA 8260C
1,3,5-Trimethylbenzene	EPA 8260C

**Serial No.: 69357**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024  
Revised May 07, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**MS. TARA DANIELS**  
**ADIRONDACK ENVIRONMENTAL SERVICES INC**  
**314 NORTH PEARL STREET**  
**ALBANY, NY 12207**

**NY Lab Id No: 10709**

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE  
All approved analytes are listed below:*

**Volatile Aromatics**

1,3-Dichlorobenzene	EPA 8260C
1,4-Dichlorobenzene	EPA 8260C
2-Chlorotoluene	EPA 8260C
4-Chlorotoluene	EPA 8260C
Benzene	EPA 8260C
Bromobenzene	EPA 8260C
Chlorobenzene	EPA 8260C
Ethyl benzene	EPA 8260C
Isopropylbenzene	EPA 8260C
m/p-Xylenes	EPA 8260C
Naphthalene, Volatile	EPA 8260C
n-Butylbenzene	EPA 8260C
n-Propylbenzene	EPA 8260C
o-Xylene	EPA 8260C
p-Isopropyltoluene (P-Cymene)	EPA 8260C
sec-Butylbenzene	EPA 8260C
Styrene	EPA 8260C
tert-Butylbenzene	EPA 8260C
Toluene	EPA 8260C
Total Xylenes	EPA 8260C

**Volatile Halocarbons**

1,1,1,2-Tetrachloroethane	EPA 8260C
1,1,1-Trichloroethane	EPA 8260C
1,1,2,2-Tetrachloroethane	EPA 8260C
1,1,2-Trichloro-1,2,2-Trifluoroethane	EPA 8260C
1,1,2-Trichloroethane	EPA 8260C
1,1-Dichloroethane	EPA 8260C

**Serial No.: 69357**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024  
Revised May 07, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**MS. TARA DANIELS**  
**ADIRONDACK ENVIRONMENTAL SERVICES INC**  
**314 NORTH PEARL STREET**  
**ALBANY, NY 12207**

**NY Lab Id No: 10709**

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE  
All approved analytes are listed below:*

**Volatile Halocarbons**

1,1-Dichloroethene	EPA 8260C
1,1-Dichloropropene	EPA 8260C
1,2,3-Trichloropropane	EPA 8260C
1,2-Dibromo-3-chloropropane	EPA 8260C
1,2-Dibromoethane	EPA 8260C
1,2-Dichloroethane	EPA 8260C
1,2-Dichloropropane	EPA 8260C
1,3-Dichloropropane	EPA 8260C
2,2-Dichloropropane	EPA 8260C
2-Chloroethylvinyl ether	EPA 8260C
Bromochloromethane	EPA 8260C
Bromodichloromethane	EPA 8260C
Bromoform	EPA 8260C
Bromomethane	EPA 8260C
Carbon tetrachloride	EPA 8260C
Chloroethane	EPA 8260C
Chloroform	EPA 8260C
Chloromethane	EPA 8260C
cis-1,2-Dichloroethene	EPA 8260C
cis-1,3-Dichloropropene	EPA 8260C
Dibromochloromethane	EPA 8260C
Dibromomethane	EPA 8260C
Dichlorodifluoromethane	EPA 8260C
Hexachlorobutadiene, Volatile	EPA 8260C
Methylene chloride	EPA 8260C
Tetrachloroethene	EPA 8260C
trans-1,2-Dichloroethene	EPA 8260C



**Serial No.: 69357**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024  
Revised May 07, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**MS. TARA DANIELS**  
**ADIRONDACK ENVIRONMENTAL SERVICES INC**  
**314 NORTH PEARL STREET**  
**ALBANY, NY 12207**

**NY Lab Id No: 10709**

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE  
All approved analytes are listed below:*

**Volatile Halocarbons**

trans-1,3-Dichloropropene	EPA 8260C
Trichloroethene	EPA 8260C
Trichlorofluoromethane	EPA 8260C
Vinyl chloride	EPA 8260C

**Volatile Organics**

1,4-Dioxane	EPA 8260C
2-Butanone (Methylethyl ketone)	EPA 8260C
2-Hexanone	EPA 8260C
4-Methyl-2-Pentanone	EPA 8260C
Acetone	EPA 8260C
Acetonitrile	EPA 8260C
Carbon Disulfide	EPA 8260C
Cyclohexane	EPA 8260C
Di-ethyl ether	EPA 8260C
Ethylene Glycol	EPA 8015D
Methyl acetate	EPA 8260C
Methyl cyclohexane	EPA 8260C
Methyl tert-butyl ether	EPA 8260C
Vinyl acetate	EPA 8260C

**Sample Preparation Methods**

EPA 5035A-L
EPA 5035A-H
EPA 3580A
EPA 3010A
EPA 3005A
EPA 3050B

**Serial No.: 69357**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024  
Revised May 07, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

*MS. TARA DANIELS  
ADIRONDACK ENVIRONMENTAL SERVICES INC  
314 NORTH PEARL STREET  
ALBANY, NY 12207*

*NY Lab Id No: 10709*

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE  
All approved analytes are listed below:*

**Sample Preparation Methods**

EPA 3545A  
EPA 3060A



**Serial No.: 69357**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

*MS. TARA DANIELS  
ADIRONDACK ENVIRONMENTAL SERVICES INC  
314 NORTH PEARL STREET  
ALBANY, NY 12207*

*NY Lab Id No: 10709*

*is hereby APPROVED as an Environmental Laboratory for the category  
ENVIRONMENTAL ANALYSES AIR AND EMISSIONS  
All approved subcategories and/or analytes are listed below:*

**Fuels**

B.T.U. ASTM D2015-77  
Percent Sulfur ASTM D4294

**Metals I**

Lead, Total NIOSH 7300

**Miscellaneous**

Asbestos 40 CFR 763 APX A No. III  
YAMATE, AGARWAL GIBB  
NIOSH 7402  
Fibers NIOSH 7400 A RULES



**Serial No.: 68539**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).